



中国认可
国际互认
检测
TESTING
CNAS L4595

TEST REPORT

Report No.: LCS210705105AR

Date: 2021.07.20

Page 1 of 11

Applicant : Shenzhen GOLF & Feihuang Technology Co., Ltd.
Address : Building 1 (Shatou Section), Haosi West Industry Park, Shajing, Bao'an, Shenzhen, China.

Report on the submitted samples said to be:

Sample Name : POWER BANK

Trade Mark : GOLF 高尔夫, LONSMAX, GOLFSPACE

Style No. :

G81, G24, G26, Edge5, Edge10, Edge15, Hive3, Hive5, Hive10, Hive15, G86, G87, G88, G89, G90, G90PD, G91, G101PD, G102PD, G103, G104, G103PD, G104PD, G105, G106, G105PD, G106PD, D20, D30, D40, D50, PB030, PB040, PB050, W6, W6Q, W6Q, PRO, W5, W8, W9, W10, W11, W12, W21, W22, W24, W25, W24PD, W25PD, G97, G98, 97PD, G98PD, G36, G37, G37PD, G45, G46, G48, G48PD, G49, G49PD, G50, G51, G51, PD, G59, G60, G85LCD, G66LCD, CD100, L100, L200, L105, L205, L106, L206, L106-LCD, L206-LCD, L106PD, L206PD, L106-LCDPD, L206-LCDPD, G41, G42, G44, G41PRO, G42PRO, G61, G62, G63, G61-C, G62-C, G62PD, G76, G77, G76-C, G77-C, G78, G79, G75, G80, G82, G83, G84, G56-C, G56, G57, G95, G96, G95-C, G96-C, G53, G54, G55, G53PD, G54PD, G55PD, G64, G65, G64PRO, G65PRO, G66, G67, G68, G70, G71, G92, G93, G92PD, G93PD, D100, LCD20, LCD21, LCD22, LCD21PD, LCD22PD, GF-233, GF-235, GF-238, G72, G73, G74, G301, G302, G302PD, GP10, GP20, GP30, GP40, GP50, GP10-Q, GP20-Q, GP30-Q, GP40-Q, GP50-Q, GP10-L, GP20-L, GP30-L, GP40-L, GP50-L, G97, G98, G99, G100, G101, G102, G103, G104, G105, G1063, G107, G108, G109, G110, G111, G112, G113, G114, WQ5-Qi, WQ5PRO, WQ5MAX

All models are the same, except that their model numbers and appearance are different.

Testing Period : July 13, 2021 ~ July 20, 2021

Results : Please refer to next page(s).

TEST REQUEST	CONCLUSION
<p>According to the customer's request, based on the performed tests on submitted sample, the result of Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, Dibutyl Phthalate(DBP), Butylbenzyl Phthalate(BBP), Bis(2-ethylhexyl) Phthalate(DEHP), Diisobutyl phthalate(DIBP) content comply with the limit requirement as set of RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.</p>	<p style="text-align: center; color: blue;">Pass</p>

Signed for and on behalf of LCS





TEST REPORT

Report No.: LCS210705105AR

Date: 2021.07.20

Page 2 of 11

Results:

A.EU RoHS Directive 2011/65/EU and its amendment directives

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Seq. No.	Tested Part(s)	Results						Date of sample submission/resubmission
		Cd	Pb	Hg	Cr ^v	Br ^v		
						PBBs	PBDEs	
1	Black plastic shell	BL	BL	BL	BL	BL	BL	2021-07-13
2	White viscose	BL	BL	BL	BL	BL	BL	2021-07-13
3	Yellow transparent tape	BL	BL	BL	BL	BL	BL	2021-07-13
4	White tape printed plastic sheet	BL	BL	BL	BL	BL	BL	2021-07-13
5	Silver metal screw	BL	BL	BL	BL	/	/	2021-07-13
6	Black plastic case	BL	BL	BL	BL	BL	BL	2021-07-13
7	Black tape printed inductor	BL	BL	BL	BL	BL	BL	2021-07-13
8	Copper-colored metal wire	BL	BL	BL	BL	/	/	2021-07-13
9	Silver metal pins	BL	BL	BL	BL	/	/	2021-07-13
10	Silver metal shell	BL	BL	BL	BL	/	/	2021-07-13
11	Black plastic base	BL	BL	BL	BL	BL	BL	2021-07-13
12	Silver metal shell	BL	BL	BL	BL	/	/	2021-07-13
13	Black plastic sheet	BL	BL	BL	BL	BL	BL	2021-07-13
14	Silver metal pins	BL	BL	BL	BL	/	/	2021-07-13
15	Silver metal shell	BL	BL	BL	BL	/	/	2021-07-13
16	Black chip resistor	BL	BL	BL	BL	BL	BL	2021-07-13
17	Silver metal solder	BL	X	BL	BL	/	/	2021-07-13
18	Brown chip capacitor	BL	BL	BL	BL	BL	BL	2021-07-13
19	Black IC	BL	BL	BL	BL	BL	BL	2021-07-13
20	Yellow body led	BL	BL	BL	BL	BL	BL	2021-07-13
21	Black PCB	BL	BL	BL	BL	X	X	2021-07-13



TEST REPORT

Report No.: LCS210705105AR

Date: 2021.07.20

Page 3 of 11

Note:

- (1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ<X <130+3σ≤OL	BL≤70-3σ<X <130+3σ≤OL	BL≤50-3σ<X <150+3σ≤OL
Pb	mg/kg	BL≤700-3σ<X <1300+3σ≤OL	BL≤700-3σ<X <1300+3σ≤OL	BL≤500-3σ<X <1500+3σ≤OL
Hg	mg/kg	BL≤700-3σ<X <1300+3σ≤OL	BL≤700-3σ<X <1300+3σ≤OL	BL≤500-3σ<X <1500+3σ≤OL
Cr	mg/kg	BL≤700-3σ<X	BL≤700-3σ<X	BL≤500-3σ<X
Br	mg/kg	BL≤300-3σ<X	--	BL≤250-3σ<X

Note:

- BL = Below Limit
- OL = Over Limit
- X = Inconclusive

- (2) The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.
- (3) The maximum permissible limit is quoted from the document 2015/863/EC amending RoHS directive 2011/65/EU:
- (4) ▼=For restricted substances PBBs and PBDEs, the results show the total Br content; The restricted substance was Cr(VI), and the results showed the total Cr content



TEST REPORT

Report No.: LCS210705105AR

Date: 2021.07.20

Page 4 of 11

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium (Cd)	100
Lead (Pb)	1000
Mercury (Hg)	1000
Hexavalent Chromium (Cr(VI))	1000
Polybrominated biphenyls (PBBs)	1000
Polybrominated diphenylethers (PBDEs)	1000
Dibutyl Phthalate(DBP)	1000
Benzylbutyl Phthalate(BBP)	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	1000
Diisobutyl phthalate(DIBP)	1000

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.



TEST REPORT

Report No.: LCS210705105AR

Date: 2021.07.20

Page 5 of 11

B. EU RoHS Directive 2011/65/EU and its amendment Directives 2015/863/EU on Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs, PBDEs, DBP, BBP, DEHP, DIBP content.

Test method:

Lead(Pb) & Cadmium(Cd) Content:

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

Mercury(Hg) Content:

With reference to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

Hexavalent Chromium(Cr(VI)) Content:

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, by alkaline digestion and analysis was performed by UV-visible spectrophotometer (UV-Vis)

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

BBP DBP DEHP & DIBP Content:

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

1) The test results of Lead (Pb) and Cadmium (Cd)

Item	Unit	MDL	Results	Limit
			(17)	
Lead Content (Pb)	mg/kg	5	90	1000



TEST REPORT

Report No.: LCS210705105AR

Date: 2021.07.20

Page 6 of 11

Note:

- MDL = Method Detection Limit
- /= Not apply
- LOQ = Limit of Quantification, The LOQ of Hexavalent chromium is $0.10 \mu\text{g}/\text{cm}^2$
- ▼ = a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than $0.13 \mu\text{g}/\text{cm}^2$. The sample coating is considered to contain Cr(VI)
b. The sample is negative for Cr(VI) if Cr(VI) is N.D.(concentration less than $0.10 \mu\text{g}/\text{cm}^2$). The sample coating is considered a non- Cr(VI) based coating
c. The result between $0.10 \mu\text{g}/\text{cm}^2$ and $0.13 \mu\text{g}/\text{cm}^2$ is considered to be inconclusive, unavoidable coating variations may influence the determination
- Information on storage conditions and production date of the tested samples is unavailable and thus Cr(VI) results represent status of the sample at the time of testing
- mg/kg = ppm=parts per million
- N.D.=Not Detected(<MDL or LOQ)

- #1 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in glass of cathode ray tubes, electronic components and fluorescent tubes.
- #2 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in electronic ceramic parts (e.g. piezoelectronic devices).
- #3 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Copper containing up to 4% (40000ppm) by weight.
- #4 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead).
- #5 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Aluminum containing up to 0.4% (4000ppm) by weight.
- #6 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Cadmium and its compounds in electrical contact is exempted.
- #7 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its Amendments, Lead is exempted in steel for machining purposes and in galvanised steel containing up to 0.35% (3500ppm) by weight.



TEST REPORT

Report No.: LCS210705105AR

Date: 2021.07.20

Page 7 of 11

2) The test results of DBP、BBP、DEHP & DIBP

Item	Unit	MDL	Results		Limit
			1+2+3+4+6+7		
Dibutyl Phthalate(DBP)	mg/kg	600	N.D.		1000
Butylbenzyl Phthalate(BBP)	mg/kg	600	N.D.		1000
Di-(2-ethylhexyl) Phthalate(DEHP)	mg/kg	600	N.D.		1000
Diisobutyl phthalate(DIBP)	mg/kg	600	N.D.		1000

Item	Unit	MDL	Results		Limit
			16+18+19+20+21		
Dibutyl Phthalate(DBP)	mg/kg	600	N.D.		1000
Butylbenzyl Phthalate(BBP)	mg/kg	600	N.D.		1000
Di-(2-ethylhexyl) Phthalate(DEHP)	mg/kg	600	N.D.		1000
Diisobutyl phthalate(DIBP)	mg/kg	600	N.D.		1000

Item	Unit	MDL	Results		Limit
			11	13	
Dibutyl Phthalate(DBP)	mg/kg	100	N.D.	N.D.	1000
Butylbenzyl Phthalate(BBP)	mg/kg	100	N.D.	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	mg/kg	100	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	100	N.D.	N.D.	1000



TEST REPORT

Report No.: LCS210705105AR

Date: 2021.07.20

Page 8 of 11

3) The test results of PBBs & PBDEs

Item	Unit	MDL	Results	Limit
			(21)	
Polybrominated Biphenyls (PBBs)				
Monobromobiphenyl	mg/kg	5	N.D.	
Dibromobiphenyl	mg/kg	5	N.D.	
Tribromobiphenyl	mg/kg	5	N.D.	
Tetrabromobiphenyl	mg/kg	5	N.D.	
Pentabromobiphenyl	mg/kg	5	N.D.	
Hexabromobiphenyl	mg/kg	5	N.D.	
Heptabromobiphenyl	mg/kg	5	N.D.	
Octabromobiphenyl	mg/kg	5	N.D.	
Nonabromodiphenyl	mg/kg	5	N.D.	
Decabromodiphenyl	mg/kg	5	N.D.	
Total content	mg/kg	/	N.D.	1000
Polybrominated Diphenylethers (PBDEs)(Mon-Deca)				
Monobromodiphenyl ether	mg/kg	5	N.D.	
Dibromodiphenyl ether	mg/kg	5	N.D.	
Tribromodiphenyl ether	mg/kg	5	N.D.	
Tetrabromodiphenyl ether	mg/kg	5	N.D.	
Pentabromodiphenyl ether	mg/kg	5	N.D.	
Hexabromodiphenyl ether	mg/kg	5	N.D.	
Heptabromodiphenyl ether	mg/kg	5	N.D.	
Octabromodiphenyl ether	mg/kg	5	N.D.	
Nonabromodiphenyl ether	mg/kg	5	N.D.	
Decabromodiphenyl ether	mg/kg	5	N.D.	
Total content	mg/kg	/	N.D.	1000

Remark:

- mg/kg = ppm
- N.D. = Not detected
- MDL=Method detected limited
- Flow chart appendix is included
- Photo appendix is included.



TEST REPORT


Report No.: LCS210705105AR

Date: 2021.07.20


Page 9 of 11

Appendix


1. Test Flow chart for Cd/Pb /Hg content




2. Test Flowchart for(Cr(VI)) content (For non-metal material)



Test Flowchart for (Cr(VI)) content (For metal material)



3. Test Flow chart for PBBs & PBDEs & DBP & BBP & DEHP & DIBP content





TEST REPORT

Report No.: LCS210705105AR

Date: 2021.07.20

Page 10 of 11

The photo of the sample






TEST REPORT

Report No.: LCS210705105AR

Date: 2021.07.20

Page 11 of 11



***** End of Report *****

Statement:

1. The test report is considered invalidated without approval signature, special seal on the perforation.
2. The result(s) shown in this report refer only to the sample(s) tested.
3. Without written approval of LCS, this report can't be reproduced except in full.
4. The sample(s) and sample information was/were provided by the client who should be responsible for the authenticity which LCS hasn't verified.
5. In case of any discrepancy between the English version and Chinese version of the testing reports(if generated), the Chinese version shall prevail.